## MATERIAL SAFETY DATA SHEET

HMIS CODES:	Н	F	R	Р	
	0	2	0	А	

May be used to comply with OSHA's H Communication Standard, 29 CFR 191 must be consulted for specific requiren	U.S. Department of Labor Occupational Safety and Health Administrator (Non-Mandatory Form) Form Approved OMB No. 1218-0072						
IDENTITY (AS USED ON LABEL AND " <b>Blue Magic</b> " Industrial grade Pipe Thread	NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.						
Section I							
Manufacturer's Name: J.C. WHITLAM MANUFACTURING CO	Emergency Telephone Number: (330) 334 - 2524						
Address (Number, Street, City, State, a 200 WEST WALNUT STREET	Telephone Number for Information: (330) 334 - 2524						
P.O. BOX 380	Date Prepar	ed: January	24, 2014				
WADSWORTH, OHIO 44282-0380	Signature of Preparer (optional):						
Section II - Hazardous Ingredients/Identity Information							
HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY: CO	OSHA PEL	ACGIH TLV	OTHER LIMITS Recommended	% (optional)			
ISOPROPYL ALCOHOL [CAS#67-63-	0]	400	400	N/A	5 - 10		
GLYCOL ETHER EB [CAS#111-76-2]	50	25	N/A	13 - 18			
Section III - Physical/Chemical Char							
Boiling Point:	N/A	Specific Gravity (H20 =1):			1.41		
Vapor Pressure (mm Hg):	.88 Melting Point:				N/A		
Vapor Density (AIR = 1):	> 1 Evaporation Rate (Butyl A			Acetate = 1):	.6		
Solubility in Water:	SLIGHT VOC Content:				310 g/l		
Appearance and Odor: BLUE PASTE - MILD ODOR							
Section IV - Fire and Explosion Hazard Data							
Flash Point (Method Used): 82°F (28°C) ASTM METHOD D93-80	Flammable Limits: 921°F (494°C) IGNITION TEMPE	RATURE	LEL: 0.9%	UEL: 6.0%			
Extinguishing Media: CARBON DIOXIDE OR DRY CHEMICAL OR WATER.							
Special Fire Fighting Procedures: NONE							
Unusual Fire and Explosion Hazards: CONTACT WITH STRONG OXIDIZERS MAY CAUSE FIRES OR EXPLOSIONS. CARBON MONOXIDE MAY BE RELEASED.							
Page 1							

Section V - Reactivity Data		"BLUE MAGIC" INDUSTRIAL GRADE PIPE THREAD COMPOUND IG					
Stability:		Unstable:			Conditions to Avoid: N	I/A	
		Stable:		Х			
Incompatibility (Materials to Avoid): LIQUID OXYGEN SYSTEMS, LIQUID SODIUM, GASEOUS FLUORINE, STRONG OXIDIZERS.							
Hazardous Decom	position or	Byproducts:					
Hazardous Polymerization:		May Occur:					
		Will Not Occur:		Х	Conditions to Avoid: I	N/A	
Section VI - Healt	n Hazard I	Data			_		
Route(s) of Entry:	intry: Inhalation? YES Skin		kin? YES		Ingestion? YES		
Health Hazards (Ad	cute and C	hronic): N/A					
Carcinogenicity:	NTP? N	10	IA	RC Monog	graphs? NO	OSHA Regulated? NO	
Signs and Symptoms of Exposure: INHALATION: POSSIBLE DIZZINESS IF USED IN CONFINED AREA. SKIN: MAY CAUSE MILD IRRITATION TO SENSITIVE SKIN.							
Medical Conditions Generally Aggravated by Exposure: NONE KNOWN							
Emergency and First Aid Procedures: EYE CONTACT: FLUSH EYES WITH WATER. SKIN CONTACT: WASH SKIN WITH SOAP AND WATER. WASH CLOTHING BEFORE REUSE. INHALATION: MOVE TO WELL VENTILATED AREA. INGESTION: CALL PHYSICIAN.							
Section VII - Precautions for Safe Handling and Use							
Steps to Be Taken in Case Material is Released or Spilled: NORMAL GOOD HOUSEKEEPING PROCEDURES.							
Waste Disposal Method: DISPOSE OF ACCORDING TO FEDERAL, STATE, AND LOCAL REGULATIONS.							
Precautions to Be Taken in Handling and Storing: STORE AWAY FROM HEAT OR OPEN FLAME. CLOSE CONTAINER AFTER USE.							
Other Precautions: WEAR PROTECTIVE GLOVES TO PREVENT POSSIBLE SKIN ABSORPTION AND DERMATITIS. KEEP OUT OF REACH OF CHILDREN.							
Section VIII - Control Measures							
Respiratory Protection (Specify Type): AVOID BREATHING OF FUMES. IF USED IN A CONFINED AREA, A RESPIRATOR MAY BE NECESSARY.							
Ventilation:	Local Exhaust: NORMAL V		ENTILATION IS ADEQUATE.		Special: N/A		
	Mechani	hanical (General): N/A.				Other: N/A	
Protective Gloves: MAY BE NECESSARY FOR SENSITIVE SKIN. Eye Protection: KEEP OUT OF EYES. WEAR PROTECTIVE GOGGLES WHERE NECESSARY.						ECTIVE GOGGLES WHERE	
Other Protective Clothing or Equipment: N/A							
Work/Hygienic Practices: WASH UP WITH SOAP AND WATER AFTER USE.							
Page 2							